Author Index

Abdullah, M.P., Daud, J., Hong, K.S. and Yew, C.H.
Improved method for the determination of glyphosate in water 697(1995)363

Achilli, G., Cellerino, G.P., d'Eril, G.M. and Bird, S.
Simultaneous determination of 27 phenols and herbicides in water by high-performance liquid chromatography with multi-electrode electrochemical detection 697(1995)357

Akiyama, Y., see Mizukami, F. 697(1995)279

Almehdi, M., see El-Shahawi, M.S. 697(1995)185

Altieri, I., see Pichini, S. 697(1995)383

Anazawa, T.A., Carraro, F., Collins, K.E. and Jardim, I.C.S.F.
Stability of high-performance liquid chromatography columns packed with C_1 and C_8 polysiloxanes sorbed into porous silica particles 697(1995)159

Anhalt, K., see Reinhardt, R. 697(1995)475

Assadi, Y., see Djozan, D. 697(1995)525

Ausili, A., see Di Muccio, A. 697(1995)145

Barbini, D.A., see Di Muccio, A. 697(1995)145

Barceló, D., see Lacorte, S. 697(1995)345

Barrett, D.A., see Chan, W.C. 697(1995)213

Barrett, D.A., see Wan, Q.H. 697(1995)219

Bartle, K.D., Bevan, C.D., Clifford, A.A., Jafar, S.A., Malak, N. and Verrall, M.S.
Preparative-scale supercritical fluid chromatography 697(1995)579

Bede, A., see Rippel, G. 697(1995)17

Belenguer, A.M., see Grieb, S.J. 697(1995)271

Bereuter, T.L. and Lorbeer, E.
Monitoring of lipase-catalyzed cleavage of acylglycerols by high-temperature gas chromatography 697(1995)469

Bevan, C.D. and Mutton, I.M.
Freeze-thaw flow management: a novel concept for high-performance liquid chromatography, capillary electrophoresis, electrochromatography and associated techniques 697(1995)541

Bevan, C.D., see Bartle, K.D. 697(1995)579

Bird, S., see Achilli, G. 697(1995)357

Blanchin, M.D., see Fabre, H. 697(1995)81

Blanco Tirado, C., Stashenko, E.E., Combariza, M.Y. and Martinez, J.R.
Comparative study of Colombian citrus oils by high-resolution gas chromatography and gas chromatography–mass spectrometry 697(1995)501

Böhs, B., see Lindner, W. 697(1995)549

Boria, P., see Draisci, R. 697(1995)407

Brückner, H., Langer, M., Lüpke, M., Westhauser, T. and Godel, H.
Liquid chromatographic determination of amino acid enantiomers by derivatization with *o*-phthaldialdehyde and chiral thiols. Applications with reference to food science 697(1995)229

Brückner, H. and Lüpke, M.
Use of chromogenic and fluorescent oxycarbonyl chlorides as reagents for amino acid analysis by high-performance liquid chromatography 697(1995)295

Camoni, I., see Di Muccio, A. 697(1995)145

Carraro, F., see Anazawa, T.A. 697(1995)159

Carvalho, C.R.L., Carvalho, P.R.N. and Collins, C.H.
High-performance liquid chromatographic determination of the geometrical isomers of β-carotene in several foodstuffs 697(1995)289

Carvalho, P.R.N., see Carvalho, C.R.L. 697(1995)289

Cellerino, G.P., see Achilli, G. 697(1995)357

Chan, W.C., Micklewright, R. and Barrett, D.A.
Porous graphitic carbon for the chromatographic separation of O-tetraacetyl-β-D-glucopyranosyl isothiocyanate-derivatised amino acid enantiomers 697(1995)213

Chen, C.J., see Tsai, F.Y. 697(1995)309

Chicarelli-Robinson, M.I., see Cocks, S. 697(1995)115

Chien, C.S., see Tsai, F.Y. 697(1995)309

Chrzanowski, A., see Wahl, H.G. 697(1995)453

Clifford, A.A., see Bartle, K.D. 697(1995)579

Cocks, S., Wrigley, S.K., Chicarelli-Robinson, M.I. and Smith, R.M.
High-performance liquid chromatography comparison of supercritical-fluid extraction and solvent extraction of microbial fermentation products 697(1995)115

Collins, C.H., see Carvalho, C.R.L. 697(1995)289

Collins, K.E., see Anazawa, T.A. 697(1995)159

Combariza, M.Y., see Blanco Tirado, C. 697(1995)501

Cornett, C., see Thomsen, U.G. 697(1995)175

Cserháti, T., see Forgács, E. 697(1995)59

Daud, J., see Abdullah, M.P. 697(1995)363

Davies, M.C., see Wan, Q.H. 697(1995)219

De Armas, R., see Legaz, M.E. 697(1995)329

De Meester, C., see Van Dyck, M.M.C. 697(1995)377

Dehnen, W., see Einig, T. 697(1995)371

d'Eril, G.M., see Achilli, G. 697(1995)357

Di Muccio, A., Camoni, I., Ventriglia, M., Barbini, D.A., Mauro, M., Pelosi, P., Generali, T., Ausili, A. and Girolimetti, S.
Simplified clean-up for the determination of benzimidazolic fungicides by high-performance liquid chromatography with UV detection 697(1995)145

Djozan, D. and Assadi, Y.
Optimization of the gas stripping and cryogenic trapping method for capillary gas chromatographic analysis of traces of volatile halogenated compounds in drinking water 697(1995)525

Draisci, R., Lucentini, L., Boria, P. and Lucarelli, C.
Micro high-performance liquid chromatography for the determination of nicarbazin in chicken tissues, eggs, poultry feed and litter 697(1995)407

Einig, T. and Dehnen, W.
Sensitive determination of the benzene metabolite S-phenylmercapturic acid in urine by high-performance liquid chromatography with fluorescence detection 697(1995)371

El-Shahawi, M.S. and Almehdi, M.
Qualitative, semi-quantitative and spectrophotometric determination of ruthenium(III) by solid-phase extraction with 3-hydroxy-2-methyl-1,4-naphthoquinone-4-oxime-loaded polyurethane foam columns 697(1995)185
Endo, K., see Mizukami, F. 697(1995)279
Engelhardt, H., see Schmitt, T. 697(1995)561
Engewald, W., see Reinhardt, R. 697(1995)475
Engewald, W., see Steinborn, A. 697(1995)485
Evans, M.B. and Fell, A.F.
Foreword 697(1995)1
Fabre, H., Le Bris, A. and Blanchin, M.D.
Evaluation of different techniques for peak purity assessment on a diode-array detector in liquid chromatography 697(1995)81
Fell, A.F., see Evans, M.B. 697(1995)1
Fernández-Torres, A., see Lebrón-Aguilar, R. 697(1995)441
Forgács, E. and Cserháti, T.
Effect of various organic modifiers on the determination of the hydrophobicity parameters of non-homologous series of anticancer drugs 697(1995)59
García Montelongo, F., see Rodríguez Delgado, M.A. 697(1995)71
García-Domínguez, J.A., see Lebrón-Aguilar, R. 697(1995)441
Generali, T., see Di Muccio, A. 697(1995)145
Girolimetti, S., see Di Muccio, A. 697(1995)145
Godel, H., see Brückner, H. 697(1995)229
González, V., see Rodríguez Delgado, M.A. 697(1995)71
Gorenc, B., see Gros, N. 697(1995)31
Grieb, S.J., Matlin, S.A., Belenguer, A.M. and Ritchie, H.J.
Chiral high-performance liquid chromatography with cellulose carbamate-coated phases. Influence of support surface chemistry on enantioselectivity 697(1995)271
Gros, N. and Gorenc, B.
Expert system for the ion chromatographic determination of alkali and alkaline earth metals in mineral waters 697(1995)31
Hansen, S.H., see Thomsen, U.G. 697(1995)175
Herbold, H.A., see Kootstra, P.R. 697(1995)203
Hesselink, W., Schiffer, R.H.N.A. and Kootstra, P.R.
Separation of polycyclic aromatic hydrocarbons on a wide-pore polymeric C_{18} bonded phase 697(1995)165
Hesselink, W., see Kootstra, P.R. 697(1995)123
Hoffmann, A., see Wahl, H.G. 697(1995)453
Hong, K.S., see Abdullah, M.P. 697(1995)363
Horká, M., Kahle, V., Krejčí, M. and Šlais, K.
Performance of reversed-phase parallel-current open-tubular liquid chromatography columns and comparison with theory 697(1995)45
Hüsers, N. and Kleiböhmer, W.
Studies on trapping efficiencies of various collection devices for off-line supercritical fluid extraction 697(1995)107
Ishii, D., see Okamoto, M. 697(1995)153
Izumi, T., see Shibukawa, A. 697(1995)337
Izutsu, H., see Mizukami, F. 697(1995)279
Jafar, S.A., see Bartle, K.D. 697(1995)579
Jardim, I.C.S.F., see Anazawa, T.A. 697(1995)159
Kahle, V., see Horká, M. 697(1995)45
Kailas, T., see Orav, A. 697(1995)495
Katmeh, M.F., see Shahtaheri, S.J. 697(1995)131
Kiyozumi, Y., see Mizukami, F. 697(1995)279
Kleiböhmer, W., see Hüsers, N. 697(1995)107
Kootstra, P.R. and Herbold, H.A.
Automated solid-phase extraction and coupled-column reversed-phase liquid chromatography for the trace-level determination of low-molecular-mass carbonyl compounds in air 697(1995)203
Kootstra, P.R., Straub, M.H.C., Stil, G.H., Van der Velde, E.G., Hesselink, W. and Land, C.C.J.
Solid-phase extraction of polycyclic aromatic hydrocarbons from soil samples 697(1995)123
Kootstra, P.R., see Hesselink, W. 697(1995)165
Krejčí, M., see Horká, M. 697(1995)45
Kuningas, K., see Orav, A. 697(1995)495
Kwasowski, P., see Shahtaheri, S.J. 697(1995)131
Lacorte, S., Barceló, D. and Tauler, R.
Determination of traces of herbicide mixtures in water by on-line solid-phase extraction followed by liquid chromatography with diode-array detection and multivariate self-modelling curve resolution 697(1995)345
Land, C.C.J., see Kootstra, P.R. 697(1995)123
Langer, M., see Brückner, H. 697(1995)229
Lautala, P., see Salomies, H. 697(1995)597
Le Bris, A., see Fabre, H. 697(1995)81
Lebrón-Aguilar, R., Quintanilla-López, J.E., Tello, A.M., Fernández-Torres, A. and García-Domínguez, J.A.
New equation for specific retention volumes in capillary column gas chromatography 697(1995)441
Leepipatpiboon, V.
Trace enrichment by solid-phase extraction for the analysis of heavy metals in water 697(1995)137
Legaz, M.E., Pedrosa, M.M., De Armas, R., Martinez, M.M. and Vicente, C.
Soluble glycoproteins from sugar cane juice analysed by high-performance liquid chromatography and fluorescence emission 697(1995)329
Legaz, M.E., see Pedrosa, M.M. 697(1995)571
Leskovšek, H., see Šepič, E. 697(1995)515
Liebich, H.M., see Wahl, H.G. 697(1995)453
Lindner, W., Böhs, B. and Seidel, V.
Enantioselective capillary electrophoresis of amino acid derivatives on cyclodextrin. Evaluation of structure–resolution relationships 697(1995)549
Lorbeer, E., see Bereuter, T.L. 697(1995)469
Lorbeer, E., see Plank, C. 697(1995)461
Lu, B., Stefansson, M. and Westerlund, D.
Indirect detection of saccharides in reversed-phase liquid chromatography with highly alkaline mobile phases 697(1995)317
Lucarelli, C., see Draisci, R. 697(1995)407
Lucentini, L., see Draisci, R. 697(1995)407
Lüpke, M., see Brückner, H. 697(1995)229
Lüpke, M., see Brückner, H. 697(1995)295
Maeda, K., see Mizukami, F. 697(1995)279

Maher, K.M., Taylor, D.R. and Ritchie, H.J.
Simple stationary phases derived from gluconolactone for chiral high-performance liquid chromatography 697(1995)247
Mäki, E., see Torniainen, K. 697(1995)397
Malak, N., see Bartle, K.D. 697(1995)579
Martinez, J.R., see Blanco Tirado, C. 697(1995)501
Martinez, M.M., see Legaz, M.E. 697(1995)329
Matlin, S.A., see Grieb, S.J. 697(1995)271
Mauro, M., see Di Muccio, A. 697(1995)145
Mayer, M.L., Poole, S.K. and Poole, C.F.
Retention characteristics of octadecylsiloxane-bonded silica and porous polymer particle-loaded membranes for solid-phase extraction 697(1995)89
McCoy, B.J.
Chromatographic separation of continuous mixtures in distributed pores 697(1995)533
McCrossen, S.D. and Simpson, C.F.
Effect of some mobile phase additives on the retention characteristics of different solute types on reversed-phase media. II 697(1995)53
Micklewright, R., see Chan, W.C. 697(1995)213
Mizukami, F., Izutsu, H., Osaka, T., Akiyama, Y., Uiji, N., Moriya, K., Endo, K., Maeda, K., Kiyozumi, Y. and Sakaguchi, K.
Preparation of silicas combined with optically active organic compounds: optical resolution of metal chelate complexes on the silica composites 697(1995)279
Moriya, K., see Mizukami, F. 697(1995)279
Müller, C., see Wahl, H.G. 697(1995)453
Mutton, I.M.
Application of a comparative evaluation of several reversed-phase columns to the automated analysis of candidate pharmaceuticals 697(1995)191
Mutton, I.M., see Bevan, C.D. 697(1995)541
Nakagawa, T., see Shibukawa, A. 697(1995)337
Nakao, C., see Shibukawa, A. 697(1995)337
Nobuhara, K., see Okamoto, M. 697(1995)153
Okamoto, M., Nobuhara, K. and Ishii, D.
Effect of calcium-modified silica on retention and selectivity in normal-phase liquid chromatography 697(1995)153
Orav, A., Kuningas, K. and Kailas, T.
Computerized capillary gas chromatographic identification and determination of Siberian fir oil constituents 697(1995)495
Osaka, T., see Mizukami, F. 697(1995)279
Pacifici, R., see Pichini, S. 697(1995)383
Passa, A.R., see Pichini, S. 697(1995)383
Pedrosa, M.M., Reyes, A., Vicente, C. and Legaz, M.E.
Analysis of the quaternary structure of catalase by capillary zone electrophoresis 697(1995)571
Pedrosa, M.M., see Legaz, M.E. 697(1995)329
Pelosi, P., see Di Muccio, A. 697(1995)145
Pichini, S., Altieri, I., Passa, A.R., Rosa, M., Zuccaro, P. and Pacifici, R.
Use of solvent optimization software for rapid selection of conditions for reversed-phase high-performance liquid chromatography of nicotine and its metabolites 697(1995)383
Plank, C. and Lorbeer, E.
Simultaneous determination of glycerol, and mono-, di- and triglycerides in vegetable oil methyl esters by capillary gas chromatography 697(1995)461
Poole, C.F., see Mayer, M.L. 697(1995)89
Poole, C.F., see Poole, S.K. 697(1995)415
Poole, C.F., see Poole, S.K. 697(1995)429
Poole, S.K. and Poole, C.F.
Application of principal component factor analysis to the cavity model of solvation to identify factors important in characterizing the solvent properties of gas chromatographic stationary phases 697(1995)429
Poole, S.K. and Poole, C.F.
Chemometric classification of the solvent properties (selectivity) of commonly used gas chromatographic stationary phases 697(1995)415
Poole, S.K., see Mayer, M.L. 697(1995)89
Powell, M.W.
Development of a binary solid-phase extraction cartridge for use in screening water samples for organic pollutants 697(1995)101
Quintanilla-López, J.E., see Lebrón-Aguilar, R. 697(1995)441
Reinhardt, R., Steinborn, A., Engewald, W., Anhalt, K. and Schulze, K.
Enantiomer separation of α-campholene and fencholene derivatives by capillary gas chromatography on permethylated cyclodextrin phases. I. Compounds separable with single columns 697(1995)475
Reinhardt, R., see Steinborn, A. 697(1995)485
Reyes, A., see Pedrosa, M.M. 697(1995)571
Rippel, G., Bede, A. and Szepesy, L.
Systematic method development in hydrophobic interaction chromatography. I. Characterization of the phase system and modelling retention 697(1995)17
Ritchie, H.J., see Grieb, S.J. 697(1995)271
Ritchie, H.J., see Maher, K.M. 697(1995)247
Rodríguez Delgado, M.A., Sánchez, M.J., González, V. and García Montelongo, F.
Prediction of retention for substituted and unsubstituted polycyclic aromatic hydrocarbons in micellar liquid chromatography in the presence of organic modifiers 697(1995)71
Rollmann, B., see Van Dyck, M.M.C. 697(1995)377
Rosa, M., see Pichini, S. 697(1995)383
Sakaguchi, K., see Mizukami, F. 697(1995)279
Salomies, H., Lautala, P. and Toppila, M.
High-performance thin-layer chromatographic method to determine sorption of propofol to infusion containers 697(1995)597
Sánchez, M.J., see Rodríguez Delgado, M.A. 697(1995)71
Sawada, T., see Shibukawa, A. 697(1995)337
Schiffer, R.H.N.A., see Hesselink, W. 697(1995)165
Schmitt, T. and Engelhardt, H.
Optimization of enantiomeric separations in capillary electrophoresis by reversal of the migration order and using different derivatized cyclodextrins 697(1995)561
Schoenmakers, P.J., see Vanbel, P.F. 697(1995)3
Schulze, K., see Reinhardt, R. 697(1995)475
Schulze, K., see Steinborn, A. 697(1995)485

Seidel, V., see Lindner, W. 697(1995)549
Šepič, E., Leskovšek, H. and Trier, C.
Aerobic bacterial degradation of selected polyaromatic compounds and *n*-alkanes found in petroleum 697(1995)515
Shahtaheri, S.J., Katmeh, M.F., Kwasowski, P. and Stevenson, D.
Development and optimisation of an immunoaffinity-based solid-phase extraction for chlortoluron 697(1995)131
Shaw, P.N., see Wan, Q.H. 697(1995)219
Shibukawa, A., Sawada, T., Nakao, C., Izumi, T. and Nakagawa, T.
High-performance frontal analysis for the study of protein binding of troglitazone (CS-045) in albumin solution and in human plasma 697(1995)337
Simpson, C.F., see McCrossen, S.D. 697(1995)53
Šlais, K., see Horká, M. 697(1995)45
Smith, R.J., Taylor, D.R. and Wilkins, S.M.
Temperature dependence of chiral discrimination in supercritical fluid chromatography and high-performance liquid chromatography 697(1995)591
Smith, R.J., see Wilkins, S.M. 697(1995)587
Smith, R.M., see Cocks, S. 697(1995)115
Stashenko, E.E., see Blanco Tirado, C. 697(1995)501
Stefansson, M., see Lu, B. 697(1995)317
Steinborn, A., Reinhardt, R., Engewald, W., Wyssuwa, K. and Schulze, K.
Enantiomer separation of α-campholene and fencholene derivatives by capillary gas chromatography on permethylated cyclodextrins. II. Compounds separable with coupled techniques 697(1995)485
Steinborn, A., see Reinhardt, R. 697(1995)475
Stevenson, D., see Shahtaheri, S.J. 697(1995)131
Stil, G.H., see Kootstra, P.R. 697(1995)123
Straub, M.H.C., see Kootstra, P.R. 697(1995)123
Szepesy, L., see Rippel, G. 697(1995)17
Tauler, R., see Lacorte, S. 697(1995)345
Taylor, D.R., see Maher, K.M. 697(1995)247
Taylor, D.R., see Smith, R.J. 697(1995)591
Taylor, D.R., see Wilkins, S.M. 697(1995)587
Taylor, M.R. and Westwood, S.A.
Quantitation of phenylbutazone and oxyphenbutazone in equine plasma by high-performance liquid chromatography with solid-phase extraction 697(1995)389
Tello, A.M., see Lebrón-Aguilar, R. 697(1995)441
Thomsen, U.G., Cornett, C., Tjørnelund, J. and Hansen, S.H.
Separation of metronidazole, its major metabolites and their conjugates using dynamically modified silica 697(1995)175
Tilquin, B.L., see Vanbel, P.F. 697(1995)3
Tjørnelund, J., see Thomsen, U.G. 697(1995)175
Toppila, M., see Salomies, H. 697(1995)597
Torniainen, K. and Mäki, E.
Development of an isocratic high-performance liquid chromatographic method for monitoring of ciprofloxacin photodegradation 697(1995)397
Trier, C., see Šepič, E. 697(1995)515
Tsai, F.Y., Chen, C.J. and Chien, C.S.
Determination of the cysteine derivatives N-acetylcysteine, S-carboxymethylcysteine and methylcysteine in pharmaceuticals by high-performance liquid chromatography 697(1995)309
Uiji, N., see Mizukami, F. 697(1995)279
Van der Velde, E.G., see Kootstra, P.R. 697(1995)123
Van Dyck, M.M.C., Rollmann, B. and De Meester, C.
Quantitative estimation of heterocyclic aromatic amines by ion-exchange chromatography and electrochemical detection 697(1995)377
Vanbel, P.F., Tilquin, B.L. and Schoenmakers, P.J.
Criteria for developing rugged high-performance liquid chromatographic methods 697(1995)3
Ventriglia, M., see Di Muccio, A. 697(1995)145
Verrall, M.S., see Bartle, K.D. 697(1995)579
Vicente, C., see Legaz, M.E. 697(1995)329
Vicente, C., see Pedrosa, M.M. 697(1995)571
Wahl, H.G., Chrzanowski, A., Müller, C., Liebich, H.M. and Hoffmann, A.
Identification of furan fatty acids in human blood cells and plasma by multi-dimensional gas chromatography–mass spectrometry 697(1995)453
Wan, Q.H., Shaw, P.N., Davies, M.C. and Barrett, D.A.
Chromatographic behaviour of positional isomers on porous graphitic carbon 697(1995)219
Westerlund, D., see Lu, B. 697(1995)317
Westhauser, T., see Brückner, H. 697(1995)229
Westwood, S.A., see Taylor, M.R. 697(1995)389
Whatley, J.A.
Chiral resolution of protein kinase C inhibitors by reversed-phase high-performance liquid chromatography on cellulose tris-3,5-dimethylphenylcarbamate 697(1995)263
Whatley, J.A.
Rapid method development for the separation of enantiomers by means of chiral column switching 697(1995)257
Whatley, J.
Enantiomeric separation by packed column chiral supercritical fluid chromatography 697(1995)251
Wilkins, S.M., Taylor, D.R. and Smith, R.J.
Enantiomer separations by supercritical fluid chromatography on a chiral stationary phase physically anchored to porous graphitic carbon 697(1995)587
Wilkins, S.M., see Smith, R.J. 697(1995)591
Wrigley, S.K., see Cocks, S. 697(1995)115
Wyssuwa, K., see Steinborn, A. 697(1995)485
Yew, C.H., see Abdullah, M.P. 697(1995)363
Zuccaro, P., see Pichini, S. 697(1995)383